



HOLE IN P.C.B: $\phi 3.0$
P.C.B THICKNESS: 1.6

REVISIONS			
REV	DESCRIPTION	DATE	BY

Component - Plastic E41938

E I DUPONT DE NEMOURS & CO INC
ENGINEERING POLYMERS, CHESTNUT RUN PLAZA, PO BOX 50713, WILMINGTON DE 19880
101(r9)(f1), 101F(r9)(f1), 101L(r9)(f1), E101(r9)(f1), E101L(r9)(f1)
Polyamide 66 (PA66), "Zytel", furnished as pellets

Color	Min Thk (mm)	Flame Class	HAI	HA1	RTI Elec	RTI Imp	RTI Str
ALL	0.71	V-2	4	0	130	75	85
	1.5	V-2	3	0	130	75	85
	3.0	V-2	2	0	130	75	85
	6.0	V-2	2	0	130	75	85

Compressive Tracking Index (CTI): 0
Dielectric Strength (kV/mm): 13
High-Voltage Arc Tracking Rate (HVTAR): 0
Dimensional Stability (%): -

Infrared Flame Tracking (PPT): -
Volume Resistance (10^6 ohm-cm): 14
High Volt, Low Current Arc Resis (CD95): 0

(f1) - Suitable for outdoor use with respect to exposure to Ultraviolet Light, Water Exposure and Immersion in accordance with UL 746D.
NOTE - (1) Material designations that are color pigmented may be followed by suffix letters and numbers. (2) Material designations may be prefixed by "ZYT" for Zytel or "MIN" for Minton or "DEL" for Delrin or "GRA" for Crastin or "RYN" for Rynite or "ETP" for ETPV grades.

(9) - Virgin and regrip up to 50% by weight inclusive, have the same basic material characteristics for ALL colors down to 0.7mm. For thickness 0.40mm to 0.70mm the same basic material characteristics exist with the exception of generic RTIs for all properties and Regrip exceeding 25% is limited to V-2 Flammability for WT, RD, BK.

ANSI/UL 94 small-scale test data does not pertain to building materials, furnishings and related contents. ANSI/UL 94 small-scale test data is intended solely for determining the flammability of plastic materials used in the components and parts of end-product devices and appliances, where the acceptability of the combination is determined by UL.

Report Date: 1096-07-29
Last Revised: 2010-07-27

© 2011 Underwriters Laboratories Inc.



DELTA P/N: 3470484300

K
ISO 9001
ISO 14001
QC 080000

康揚企業股份有限公司
KANG YANG HARDWARE ENTERPRISE CO., LTD.
康揚塑膠(東莞)有限公司
KANG YANG PLASTIC(DONG GUAN) CO., LTD.
康哲電腦配件(吳江)有限公司
KANG CHE COMPUTER COMPONENTS(WUJIANG) CO., LTD.

TITLE	PC板間隔柱
MATERIAL	NYLON 66 UL94V-2
FINISH	
COLOR	NATURAL
UNLESS OTHERWISE SPECIFIED TOLERANCE	SEE ABOVE

產品規格圖面	
DATE	2010.12.13
DRAWN	Eric
CHECK	
APPROVED	

PART NUMBER	DCE-4	DRAWING NUMBER	DCE-H
SIZE	A4	SCALE	5:1
UNIT	mm	REV	B